



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBW2905G00332-3G-7
Job Sheet 182769



Part No: RBW2905G00332-3G-7

Job Qty: 1 ea

Part Name: Tube Assembly



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 8/31/18

Job Tracking No:

Due Date: 9/4/18

Created By: Jean-Luc Menard

Type: Stock

Description:

Note: URF 18-766 DWG RBW2905G00332-3G REV 2 IPP REV A 18.02.15 NEW ISSUE FK VERIFY DP

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea	9/4/18	9/4/18	0.00	0.00	Start Up Small Fab-4		
100	Small Fab	1 pcs	9/4/18	9/4/18	0.00	0.25	Small Fab-9		18/08/31
110	QC	1 pcs	9/4/18	9/4/18	0.00	0.00	QC5		18/08/31
130	Packaging	1 pcs	9/4/18	9/4/18	0.00	0.00	Packaging3-2		
140	QC21-SA	1 Ea	9/4/18	9/4/18	0.00	0.00	QC21		21 AUG 31 2018

Part Op 100 - 1- Bend tube as per DWG 2- Assemble as per DWG RBW2905G00332-3G 3-Flare end for #6 flare fitting ***NOTE
Descriptions: SEE ATTACHED INTALLATION INSTRUCTIONS***For the lubricating fluid, please use 5606 oil (the same stuff we used for the damper testing)
130 - IDENTIFY AND STOCK

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
89895K451	Smooth-Bore Seamless 304 SS Tubing, 3/8" OD, 0.049" Wall Thickness	1 Ea (1 ea)	90-Start up Operation	5065678
6 BTX-S	Flare Nut, Steel	1 Ea (1 ea)	100-Small Fab	5062553
6 TX-S	Sleeve	1 Ea (1 ea)	100-Small Fab	5062554

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	89895K451	1	11	0
100-Small Fab	6 BTX-S	1	23	0
	6 TX-S	1	23	0

Part Specifications



Specifications could not be found.

Plex 8/31/18 12:36 PM dart.menard.jean-luc

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A		-1 CH'D P/N FROM 165006 TO N-2784-06. -3, -5, -11, & -13 CH'D MATERIAL FROM STEEL ZINC PLATED TO STEEL. -15 CH'D MATERIAL FROM BRASS TO STEEL. ADDED NOTES 1 & 2.	10/9/2013	RJC	JAG
2	15-0314	-9 CH'D MATERIAL WAS S.S. IS SEAMLESS S.S.	9/30/2015	RJC	JAG

PULL TO ASSY
W/C
\$062562




NOTES:
1. REF. AGUSTA T/N: 3G2905G00332.
2. PART OF KIT: RBW2905G00132-3G.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
		B/O	-1	1	COUPLING		STRATOFLEX # N-2784-06	1
		B/O	-3	1	FERRULE	STEEL	Ø3/8 FLARELESS FERRULE FLUID CONNECTOR #6 TU-S	1
		B/O	-5	1	NUT	STEEL	3/8 FURULOK FLUID CONNECTOR #6 BU-S	1
	X		-7	1	TUBE ASSEMBLY			2
1	B/O	-9			TUBE	SEAMLESS S.S.	Ø3/8 X .049 WALL X 6.0	2
1	B/O	-11			NUT	STEEL	FLARE NUT FLUID CONNECTOR #6 BTX-S	2
1	B/O	-13			SLEEVE	STEEL	Ø3/8 TUBE SLEEVE FLUID CONNECTOR #6 TX-S	2
	B/O	-15		1	UNION	STEEL	#6 TO #12 FLUID CONNECTOR # BR 2403-12-06	1
	ASSY	-7						

DART AEROSPACE	
TITLE ADAPTER ASSY, PCM PRESSURE LINE	
DWG NO. RBW2905G00332-3G	REV 2
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: GILBERT APPROVED: <i>D. Weil</i> HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:4	DATE 3/3/2011
SHEET 1 OF 2	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



(-7)
TUBE ASSEMBLY

DART AEROSPACE	
TITLE ADAPTER ASSY, PCM PRESSURE LINE	
DWG NO. RBW2905G00332-3G-7	REV 2
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 6° .X ± .1	DRAWN BY: GILBERT APPROVED: <i>D. Weil</i> HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .016 x 46° OR .016	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:4	DATE 3/3/2011
SHEET 2 OF 2	

